

**MATERIAL SAFETY DATA SHEET**

May be used to comply with OSHA's Hazard Communication Standard, 29CFR 1910.1200. Standard must be consulted for specific requirements.

**Important: Do not leave any blank spaces. If required information is unavailable, unknown, or doesn't apply, so indicate.**

\*N/A=No information available

\*N/AP=Not Applicable

**Section 1 - Company and Chemical Identification**

DAYCON PRODUCTS COMPANY, INC.  
16001 TRADE ZONE AVENUE  
UPPER MARLBORO, MD 20774

EMERGENCY PHONE: 800-535-5053  
PHONE: 301-218-7100  
DATE: FEBRUARY 22, 2000

PRODUCT USE: BASEBOARD STRIPPER

**Section 2 - Hazardous Ingredients/Identity**

Hazardous Component(s) (chemical & common name)	OSHA PEL	ACGIH TLV	Other Exposure Limits	% (optional)	CAS No.
Ethylene Glycol Monobutyl Ether	50ppm	50ppm		15-30	111-76-2
Monoethanolamine	3ppm			3-6	141-43-5

**NPCA-HMIS Rating:** Health - 3      Flammability - 0      Reactivity - 0      PPE - X

**Section 3 - Health Hazard Identification**

Acute: None known      Chronic: None known

Signs and Symptoms of Exposure:  
Dizziness, drunkenness, coughing, eye irritation, or loss of consciousness.

Medical Conditions Generally Aggravated by Exposure:  
Respiratory problems and prolonged breathing of Ethylene Glycol Monobutyl Ether may cause damage to liver, kidneys, lungs, and rapidly reproducing cells.

Chemical Listed as Carcinogen or Potential Carcinogen	National Toxicology Program	Yes	No	I.A.R.C Yes	No	OSHA Yes	No
			X		X		X

**Section 4 - First Aid Measures**

**Routes of Entry and Emergency/First Aid Procedures**

**1. Inhalation:**  
Absorbed in bloodstream, liver, and kidneys. Remove to fresh air.

**2. Eyes:**  
Flush constantly with water for 15 minutes, seek prompt medical attention.

**3. Skin:**  
Flush thoroughly with water.

**4. Ingestion:**  
Induce vomiting and seek immediate medical attention.

**Section 5 - Fire Fighting Measures & Data**

Flash Point	Method Used	Flammable Limits in Air % by Volume	LEL Lower	UEL Upper
200°F	C.O.C.		N/AP	N/AP

Auto-Ignition Temperature: N/AP      Extinguisher Media: N/AP

Special Fire Fighting Procedures:  
N/AP

Unusual Fire and Explosion Hazards:

N/AP

### DOT Hazard Classification:

Compounds, cleaning liquid, 8

### Section 6 - Accidental Release Measures

Steps to be Taken in Case Material is Released or Spilled:

Absorb with any dry absorbent, vacuum or mop up.

Waste Disposal Methods (Consult federal, state, and local regulations):

Sewer or approved landfill.

### Section 7 - Special Precautions, Handling, and Storage

Precautions to be Taken in Handling and Storage:

Avoid skin and eye contact. Remove any contaminated clothing immediately. Keep container tightly closed.

Other Precautions:

Wear splash goggles, rubber gloves, and rubber footwear if standing in solution.

### Section 8 - Special Protection Information/Control Measures

Respiratory Protection (Specify Type):

None required for normal usage.

Ventilation: Local Exhaust: Mechanical (General) : Special: Other:

X

Protective Gloves:

Rubber

Eye Protection:

Splash goggles

Other Protective Clothing or Equipment:

Rubber footwear if standing in solution.

Work/Hygienic Practices:

Wash hands after using and before touching eyes or mouth.

### Section 9 - Physical & Chemical Characteristics

Boiling Point: Specific Gravity (H2O): Vapor Pressure (mm Hg); Vapor Density (Air = 1):

215°F 1.01 ± 0.01 N/AP Not established

Solubility in Water : Reactivity in Water:

Complete None

Appearance and Odor: Melting Point:

Clear yellow gel with butyl odor N/AP

### Section 10 - Stability and Reactivity

Stability: Unstable Stable Conditions to Avoid:

X N/A

Incompatibility (Materials to Avoid):

Strong acids

Hazardous Decomposition Products:

None known

Hazardous Polymerization: May Occur Will Not Occur Conditions to Avoid:

X N/A